



# Smarter, faster collaboration

DELL 75 4K INTERACTIVE TOUCH MONITOR | C7520QT




## THE FUTURE OF COLLABORATION

Collaborate seamlessly on this 75 4K interactive monitor with up to 20 touch points.



## SIMPLE SETUP AND MANAGEMENT

Convenient connectivity with easy installation and network manageability.



## EXCLUSIVE TO DELL. INCLUSIVE FOR ALL.

Exclusive Dell Screen Drop feature, designed to improve reachability for users working from different heights.



## TRUSTED RELIABILITY

Dell monitors — World's number 1 monitor brand\*, backed by renown reliability.

# Smarter, faster collaboration



## SEAMLESS COLLABORATION

**Instant engagement:** With InGlass™ 20-point touch capability, multiple users can interact with the screen at the same time.

**Natural touch:** Annotate with your fingers, write with a stylus<sup>1</sup>, or even erase written content with the palm of your hand — with virtually zero lag. Touch functionality is compatible with most industry-standard software, such as included FlatFrog software.



## INCLUSIVE FOR ALL

**Exclusive Dell Screen Drop:** Improve reachability for users of different heights using Dell Screen Drop, the world's first accessibility feature\*\*. Buttons at the side of the panel enable users to lower the displayed images to 3 different height settings so it's within easy reach.



## IMPRESSIVE PERFORMANCE

**Keep audiences captivated:** Experience exceptionally sharp text and images with 4K resolution and Dell technology that optimizes text. The monitor's wide 178°/178° viewing angle lets you and your team see fine details and vibrant colors from either side of the room. Plus, anti-glare and anti-smudge coatings reduce distracting reflections or fingerprints.



## EASY TO MANAGE

**All-in-one convenience:** Seamlessly integrate an optional Dell OptiPlex Micro PC into the back panel and easily upload your preferred corporate image for a display solution that adheres to your company's security and service standards.

**Simplify IT management:** RJ45, RS232 and HDMI CEC ports allow your IT to conveniently control your monitor via the network or meeting room control systems.

**Lock it down:** Reduce display changes in high traffic environments with Lock Mode, a feature that allows IT to control menu and power options.



## TRUSTED RELIABILITY

**Minimize downtime:** Your monitor comes with a 3-year Advanced Exchange Service<sup>2</sup> so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty<sup>3</sup>. You can also extend your coverage up to 5 years.

**Get a higher level of support:** Upgrade to 24x7, in-region technical phone support from qualified engineers with the ProSupport option.

# Features & Technical Specifications

<b>Monitor</b>	Dell 75 4K Interactive Touch Monitor – C7520QT
Diagonal Viewing Size	189.3 cm (74.52 inches)
Maximum Resolution	3840 x 2160 at 60 Hz
Aspect Ratio	16:9
Pixel Pitch	0.429 mm x 0.429 mm
Brightness	350 cd/m <sup>2</sup> (typical)
Color Support	Color Gamut (typical): NTSC 72% (CIE 1931) Color Depth: 1.07 billion colors
Contrast Ratio	1200:1 (typical)
Viewing Angle (Vertical/Horizontal)	178°/178°
Response Time	8 ms, gray to gray (typical)
Touch Technology	FlatFrog InGlass™
Panel Technology	IPS
Backlight Technology	LED light bar system
Surface Treatment	Anti-Smudge, Anti-Glare
Dell Display Manager Compatibility	Yes; includes Easy Arrange and Auto Restore features
ComfortView	Yes
<b>Connectivity</b>	
Connectors	1 x DP 1.2 1 x VGA 3 x HDMI 2.0 3 x USB 3.0 downstream port 1 x USB charging port at 2A (max) 3 x USB 3.0 upstream port 1 x Analog 2.0 audio line out (3.5 mm jack) 1 x Analog 2.0 audio line in (3.5 mm jack) 1 x RJ-45 1 x RS232
Remote Asset Management	Yes
<b>Design features</b>	
Security	Lock Mode for menu and power settings Security lock slot for OptiPlex Micro Holder (security lock and OptiPlex Micro not included)
Speakers	Integrated speakers (20W x 2)
VESA Mounting Support	400mm x 400mm
<b>Power</b>	
AC input voltage/frequency/current	100-240 VAC / 50 or 60 Hz ± 3 Hz / 5.5 A (max)
Power Consumption (typical to maximum)	160W - 270W
<b>Dimensions</b>	
Height	1017.4 mm (40.06 inches)
Width	1735 mm (68.31 inches)
Depth	79.1 mm (3.11 inches)
<b>Weight</b>	
Weight (panel only)	64.0 kg (141.1 lbs)
Shipping Weight	76.0 kg (167.55 lbs)
<b>Standard Service Plan</b>	3 Years Advanced Exchange Service <sup>2</sup> & Limited Hardware Warranty <sup>3</sup> ; optional ProSupport
<b>Environmental Compliance</b>	ENERGY STAR®, UL certified, China Energy Label (CEL), WEEE, ErP (EuP) Standards, Mercury-free for the panel only

## What's in the box?

### Components

- Monitor
- 1 x Remote control
- 2 x Passive styluses with 2 mm pen tips
- 3 x Stylus/Remote control holder
- 3 x Cable clips
- 1 x OptiPlex Micro Holder

### Software

- FlatFrog™ software

### Cables


- 1 x Power cord (varies by country)
- 1 x Power cable for connecting an optional OptiPlex system to the display (1 meter)
- 1 x USB 3.0 upstream cable (3 meter)
- 1 x DP cable (DP to DP) (3 meter)
- 1 x HDMI cable (3 meter)
- 1 x VGA cable (3 meter)

### Documentation

- Quick Setup Guide
- Safety and regulatory information

# Connectivity and Accessories

DELL 75 4K INTERACTIVE TOUCH MONITOR | C7520QT



## RECOMMENDED ACCESSORIES



DELL OPTIPLEX 7060  
MICRO PC WITH  
OPTIONAL INTEL UNITE®



LOGITECH MEETUP  
CONFERENCE CAMERA



ACTIONTEC SCREENBEAM  
ENTERPRISE 960



CHIEF LARGE FUSION FLOOR  
STAND | LFAUB



CHIEF LARGE FUSION  
FIXED FLAT PANEL  
WALL MOUNT | LSA1U



CHIEF LARGE FUSION MANUAL  
HEIGHT ADJUSTABLE MOBILE  
AV CART | LPAUB

\* Dell monitors are #1 Worldwide for 6 consecutive years (2013 to 2018)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q4 2018.

\*\* Based on Dell internal analysis, November 2018. Available on C8618QT, C7520QT and C5518QT monitors only.

1 Two passive styluses (with 2 mm precision tips) are included.

2 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See [dell.com/servicecontracts/global](http://dell.com/servicecontracts/global).

3 For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [Dell.com/warranty](http://Dell.com/warranty).

4 The audio line-out port does not support headphones.

[Dell.com/largeformatmonitors](http://Dell.com/largeformatmonitors)

Product availability varies by country. Please contact your Dell representative for more information.

© 2019 Dell Inc. All rights reserved.

Trademarks or trade names may be used in this document to refer to either the entities claiming the marks and names of their products. Dell disclaims proprietary interest in the marks and names of others. Reproduction in any manner whatsoever without express written permission from Dell is strictly forbidden.

v.1 03/2019